

ABOUT US

RIALTA INDUSTRIES PVT LTD is an innovative, leading Indian company operating in the development and manufacture of Premium quality LED lighting. Our company also working as a Commercial and Industrial Electrical Contractor, based in Ahmedabad, Gujarat, We has been providing our clients with superior designs, installations, and services since 2015. We pride ourselves on working with our clients to provide a project and products that fits their budget and timeline every time.

Founded in 2015, Rialta Industries is not only active in the general lighting sector, but has already specialized exclusively in LED technology since 2018.RIALTA INDUSTRIES PVT LTD is therefore one of the pioneers of the LED lighting industry.

Our passion and enthusiasm is LED. We combine experience, accuracy, technological progress and constant quality control in accordance with the latest standards to offer innovative and high-quality products at an excellent price and quality level. Our high quality LED luminaires, controls and components are offered pan India under the well-known brand INACT.

The product range includes a wide range of LED Street Light, Led Flood Light, Highbay Lights, Flame Proof Lights and Clean room Lighting for commercial and industrial buildings, retail, hotels, restaurants, etc. All range is widely demanded for its high luminance and easy installation. The product portfolio is rounded off by a large number of intelligent controls for modern and comfortable light management.

Our extensive range of products, the fast delivery times, the outstanding priceperformance ratio and the option of manufacturing and packaging according to your requirements make us your ideal partner.







INACT LED BACK CHOWK FLOOD LIGHT

RATED OUTPUT	:-	20Watt TO 200Watt
LED MAKE	:-	SEOUL,CREE,LEXSTAR,OSRAM
TELERANCE	:-	+/- 0.5 – 2W
LUMENSE	:-	100 To 120 Lumens per Watt
ССТ	:-	6500K
OPERATING VOLTAGE	:-	80-290V AC 50-60HZ
POWER FACTOR	:-	> 0.97
SURGE PROTECTION	:-	4KV TO 10KV
CRI	:-	> 0.80
WARRANTY	:-	2 YEAR
SAFETY RATING	:-	IP65
BODY TYPE	:-	ALUMINIUM DIE CAST

:-	100 To 120 Lumens per Watt
:-	6500K
:-	80-290V AC 50-60HZ
:-	> 0.97
:-	4KV TO 10KV
:-	> 0.80
:-	2 YEAR
:-	IP65
:-	ALUMINIUM DIE CAST









InAct

ITEAMCODE	FRAMSIZE	DRIVERSAREA	PCBAREA	WEIGHT	WATT
RIFL01	115*85	72*42*23	90*60	0.425KG	20W
RIFL02	178*138	90*60*32	150*115	0.820KG	30W
RIFL03	225*185	150*85*40	185*145	1.6KG	50W
RIFL04	287*237	164*99*45	230*180	3.0KG	100W
RIFL05	350*250	240*175	290*190	4.26KG	150W
RIFLO6	350*250	240*175	290*190	5.2KG	200W

Reg. Office : 2602, Chanchal Ba Bhuvan, Nr Bhadra Post Office, Bhadra, Ahmedabad 380001. | Website : www.rialtaindustries.com **Section** : 9898985552

E mail : sales@rialtaindustries.com

kaushal@rialtaindustries.com



Illuminating Life Intelligently

LED DOWN CHOWK FLOOD LIGHT

RATED OUTPUT
LED MAKE
TELERANCE
LUMENSE
ССТ
OPERATING VOLTAGE
POWER FACTOR
SURGE PROTECTION
CRI
WARRANTY
SAFETY RATING
BODY TYPE

- 30Watt To 200Watt
- :- SEOUL, CREE, LEXSTAR, OSRAM
- :- +/- 0.5 2W
- :- 100 To 120 Lumens per Watt
- :- 6500K

:-

- :- 80-290V AC 50-60HZ
- :- > 0.97
- :- 4KV TO 10KV
- :- > 0.80
- :- 2 YEAR
- :- IP65
- :- ALUMINIUM DIE CAST









ITEAMCODE	FRAMSIZE	DRIVERSAREA	PCBAREA	WEIGHT	WATT
RIDFL01	226*190	195*40*36	195*100	1.0KG	50W
RIDFL02	285*240	240*60*37	240*110	1.6KG	100W
RIDFL03	345*280	310*65*52	310*135	2.3KG	200W





Illuminating Life Intelligently

LED LENS STREET LIGHT

RATED OUTPUT
LED MAKE
TELERANCE
LUMENSE
ССТ
OPERATING VOLTAGE
POWER FACTOR
SURGE PROTECTION
CRI

- :- 18WATT,32WATT,50WATT
- :- SEOUL,CREE,LEXSTAR,OSRAM
- :- +/- 0.5 2W
- :- 100 To 120 Lumens per Watt
- :- 6500K
- :- 80-290V AC 50-60HZ
- :- > 0.97
- :- 4KV TO 10KV
- :- > 0.80



ITEM CODE	DRIVER AREA	PCB AREA	WEIGHT	WATT
RISL01	84*42*40	100*60	0.550KG	20W
RISL02	110*70*42	130*80	0.800KG	36W
RISL03	150*70*50	164*111	1.2KG	50W





Illuminating Life Intelligently

LED STREET LIGHT GLASS MODEL

RATED OUTPUT
LED MAKE
TELERANCE
LUMENSE
ССТ
OPERATING VOLTAGE
POWER FACTOR
SURGE PROTECTION
CRI
WARRANTY
SAFETY RATING
BODY TYPE

- :- 18Watt TO 100Watt
- :- SEOUL,CREE,LAXSTAR,OSRAM
- :- +/- 0.5 2W
- :- 100 To 120 Lumens per Watt
- :- 6500K
- :- 80-290V AC 50-60HZ
- :- > 0.97
- :- 4KV TO 10KV
- :- > 0.80
- :- 2 YEAR
- :- IP65
- :- ALUMINIUM DIE CAST



ITEMCODE	DRIVER AREA	PCB AREA	WEIGHT	WATT
RISLG01	105*75*35	130*75	0.690KG	18-24W
RISLG02	100*100*30	170*100	1.2KG	36W
RISLG03	90*160*60	155*219	2.3KG	70-100W
RISLG04	135*210*60	210*255	3.6KG	120-150W





LED HI BAY LIGHT

RATED OUTPUT	:-	50WATT TO 200WATT
LED MAKE	:-	SEOUL,CREE,LEXSTAR,OSRAM
TELERANCE	:-	+/- 0.5 – 2W
LUMENSE	:-	100 To 120 Lumens per Watt
ССТ	:-	6500K
OPERATING VOLTAGE	:-	80-290V AC 50-60HZ
POWER FACTOR	:-	> 0.97
SURGE PROTECTION	:-	6KV TO 10KV
CRI	:-	> 0.80
WARRANTY	:-	2 YEAR
SAFETY RATING	:-	IP65
BODY TYPE	:-	ALUMINIUM DIE CAST



ITEMCODE	DRIVER AREA	PCB AREA	WEIGHT	WATT
RIHB00	100MM	140MM	1.80KG	60W
RIHB01	200MM	240MM	3.30KG	100W
RIHB02	200MM	345MM	5.30KG	200W

Reg. Office : 2602, Chanchal Ba Bhuvan, Nr Bhadra Post Office, Bhadra, Ahmedabad 380001 . | Website : www.rialtaindustries.com S : 9898985552 E mail : sales@rialtaindustries.com kaushal@rialtaindustries.com





FLAME PROOF LIGHT

RATED OUTPUT	:-	10WATT TO 100WATT
LED MAKE	:-	SEOUL,CREE,LEXSTAR,OSRAM
TELERANCE	:-	+/- 0.5 – 2W
LUMENSE	:-	100 To 120 Lumens per Watt
ССТ	:-	6500K
OPERATING VOLTAGE	:-	80-290V AC 50-60HZ
POWER FACTOR	:-	> 0.97
SURGE PROTECTION	:-	6KV TO 10KV
CRI	:-	> 0.80
WARRANTY	:-	2 YEAR
SAFETY RATING	:-	IP65
BODY TYPE	:-	ALUMINIUM DIE CAST

- +/- 0.5 2W LOO To 120 Lumens per Watt
- 5**500**K
 - 30-290V AC 50-60HZ
- > 0.97
- 5KV TO 10KV
- > 0.80
- 2 YEAR
- P65
- ALUMINIUM DIE CAST







FLAMEPROOF WELL GLASS FITTING, FLOOD LIGHT, TUBE LIGHT WITH CERTIFICATION AVAILABLE.

Reg. Office : 2602, Chanchal Ba Bhuvan, Nr Bhadra Post Office, Bhadra, Ahmedabad 380001. | Website : www.rialtaindustries.com **1** : 9898985552 E mail : sales@rialtaindustries.com kaushal@rialtaindustries.com





FLAME PROOF CLEAN ROOM LIGHT

RATED OUTPUT
LED MAKE
TELERANCE
LUMENSE
ССТ
OPERATING VOLTAGE
POWER FACTOR
SURGE PROTECTION
CRI
WARRANTY
SAFETY RATING
BODY TYPE

- :- 20WATT TO 48WATT :- SEOUL,CREE,LEXSTAR,OSRAM
- :- +/- 0.5 2W
- :- 100 To 120 Lumens per Watt
- :- 6500K
- :- 80-290V AC 50-60HZ
- :- > 0.97
- :- 6KV TO 10KV
- :- > 0.80
- :- 2 YEAR
- :- IP65
- :- ALUMINIUM DIE CAST











FLAMEPROOF CLEANROOM BOTTOM OPENABLE AND TOP OPENABLE LIGHT WITH CERTIFICATION AVAILABLE

Reg. Office : 2602, Chanchal Ba Bhuvan, Nr Bhadra Post Office, Bhadra, Ahmedabad 380001 . | Website : www.rialtaindustries.com : 9898985552 E mail : sales@rialtaindustries.com kaushal@rialtaindustries.com





CLEAN ROOM LIGHT

RATED OUTPUT	:-	20WATT TO 48WATT
LED MAKE	:-	SEOUL,CREE,LEXSTAR,OSRAM
TELERANCE	:-	+/- 0.5 – 2W
LUMENSE	:-	100 To 120 Lumens per Watt
ССТ	:-	6500K
OPERATING VOLTAGE	:-	80-290V AC 50-60HZ
POWER FACTOR	:-	> 0.97
SURGE PROTECTION	:-	6KV TO 10KV
CRI	:-	> 0.80
WARRANTY	:-	2 YEAR
SAFETY RATING	:-	IP65
BODY TYPE	:-	ALUMINIUM DIE CAST

FLAMEPROOF CLEANROOM BOTTOM OPENABLE AND TOP OPENABLE LIGHT WITH CERTIFICATION AVAILABLE





LED PANEL LIGHT & LED SURFACE LIGHT

Cutout size : 4",5",6",8",1ft x 1ft, 2ft x 2ft.

Led Panel Light	:-	3Watt, 6Watt, 12Watt, 15Watt, 18Watt, 22Watt
Led Surface Light	:-	3Watt, 6Watt, 12Watt, 15Watt, 18Watt, 22Watt

RATED OUTPUT	:-	6WATT TO 48WATT
LED MAKE	:-	SEOUL,CREE,LEXSTAR,OSRAM
TELERANCE	:-	+/- 0.5 – 2W
LUMENSE	:-	100 To 120 Lumens per Watt
ССТ	:-	6500K
OPERATING VOLTAGE	:-	80-290V AC 50-60HZ
POWER FACTOR	:-	> 0.97
SURGE PROTECTION	:-	2KV TO 6KV
CRI	:-	> 0.80
WARRANTY	:-	2 YEAR
SAFETY RATING	:-	IP65
BODY TYPE	:-	ALUMINIUM DIE CAST, PVC MOLDING





AVAILABLE IN SQUARE AND ROUND SHAPE.

Reg. Office : 2602, Chanchal Ba Bhuvan, Nr Bhadra Post Office, Bhadra, Ahmedabad 380001 . | Website : www.rialtaindustries.com S : 9898985552 E mail : sales@rialtaindustries.com kaushal@rialtaindustries.com





HAZARDOUS AREA (FLAME PROOF LIGHTING)



CLEANROOM LIGHTING



STREET LIGHT



FLOOD LIGHT / HIGHMASS POLE



CONCEAL / SURFACE PANEL LIGHT



Reg. Office : 2602, Chanchal Ba Bhuvan, Nr Bhadra Post Office, Bhadra, Ahmedabad 380001 . | Website : www.rialtaindustries.com S : 9898985552 E mail : sales@rialtaindustries.com kaushal@rialtaindustries.com

